

REMARKS


By the present amendment, claims 3, 5, 10, 11, 13, 14, 19 and 20 have been amended in order to delete multiple dependencies. The Preliminary Amendment does not contain new matter.

Entry of the above preliminary amendment is respectfully requested. Please calculate the claim fee for the application once the amendment has been entered.

Attached hereto is a marked-up version of the changes made to the claims by the current amendment. The attached page is captioned "Version with markings to show changes made".

Respectfully submitted,

Shu Chen, Renlin Xu, Jiping Li



Micheline Gravelle  
Registration No. 40,261

Bereskin & Parr  
Box 401, 40 King Street West  
Toronto, Ontario, Canada  
M5H 3Y2

Tel. (416) 364-7311

**VERSION WITH MARKINGS TO SHOW CHANGES MADE****In the Claims:**

Claims 3, 5, 10, 11, 13, 14, 19 and 20 have been amended as follows:

3. (Amended) An isolated nucleic acid primer comprising (a) a portion of a sequence as claimed in claim 1 [or 2] or (b) a sequence that is complimentary to a portion of a nucleic acid sequence claimed in claim 1 [or 2].

5. (Amended) An isolated nucleotide probe comprising a portion of a sequence as claimed in claim 1 [or 2].

10. (Amended) A method of detecting the presence of E. coli serotypes O157:H7; O157:NM or O55:H7 in a sample comprising (a) isolating nucleic acid from the sample and (b) determining if the isolated nucleic acid contains a nucleic acid sequence according to claim 1 [or 2], wherein the presence of a nucleic acid sequence according to claim 1 [or 2] indicates the presence of E. coli serotypes O157:H7; O157:NM or O55:H7 in the sample.

11. (Amended) A method of detecting the presence of E. coli serotypes O157:H7; O157:NM or O55:H7 in a sample comprising (a) isolating nucleic acid from the sample; (b) amplifying the isolated nucleic acid with a primer having a sequence that is complimentary to a portion of a nucleic acid sequence according to claim 1 [or 2] and (c) assaying for amplified sequences, wherein the presence of an amplified sequence indicates that the sample contains E. coli serotypes O157:H7; O157:NM or O55:H7.

13. (Amended) A method according to claim 11 [or 12] wherein the nucleic acid is amplified in step (b) using a Polymerase Chain Reaction.

14. (Amended) A method of detecting the presence of a nucleic acid molecule associated with E. coli serotypes O157:H7; O157:NM and O55:H7 in a sample comprising (a) contacting the sample under hybridization conditions with one or more of nucleotide probes which hybridize to nucleic acid molecules according to claim 1 [or 2] and (b) determining if there is hybridization between the nucleic acid molecules in the sample and the nucleotide probes, wherein the presence of hybridization indicates that the sample contains E. coli serotypes O157:H7; O157:NM or O55:H7.

19. (Amended) A microchip comprising a nucleic acid molecule according to claim 1 [or 2] attached to a microchip.

20. (Amended) A microchip comprising a nucleotide probe according to [any one of] claim[s] 5 [to 9] attached to a microchip.